



济南儒祺商贸有限公司

JINAN RUQI TRADING CO., LTD

乐陵市博宇建筑五金有限公司

● LAOLING BOYU BUILDING HARDWARE CO., LTD. ●

单品技术文件 Single technology file

Contact: VICTOR LIU

Tel:+86186 6016 9418

(WeChat&WhatsApp)

Website:www.boyuwj.com

窗执手 Window handle



1.



把手 handle

2.



传动器 (Transmission gear)

窗执手 Window handle

1. 窗把手 (Handle) :

把手方轴安装的距离与传动器中心距离相同。

Handle's distance is the same as transmission gear's center distance

需确认(Need to be confirmed):

1. 把手材质

handle's Material

2. 把手款式

handle type



窗执手 Window handle

2. 传动器 (Transmission gear)

传动器的长度可比窗户短15CM

The transmission gear 's length can be shorter15CM

需确认 (Need to be confirmed) :

传动器款式有两款 :

- 1.直的 (型号BY-CDQ04)
- 2.弯的 (型号BY-CDQ03)

Two types of transmission gear :

- 1.Straight (BY-CDQ04)
- 2.Bent (BY-CDQ03)



● ● ● 安装流程图 (Installation flow chart) ● ● ●



选择型材
(Chose profile)



安装传动器
(Install transmission gear)



安装把手
(Install handle)



整体安装好的效果
(Full set lock)



谢谢观看

THANK YOU